

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

r v			Rec'd PCT/PTO 0 1 F	
non	TENT COOPERA	TION TRE	ATY	
Alatie	PC7	Γ		
Instation internat	TIONAL PRELIMINAR	Y EXAMIN	ATION REPORT	
	(PCT Article 36 a			
Applicant's or agent's file reference FP030094	FOR FURTHER ACTIO	N Preliminary	ication of Transmittal of Internation Examination Report (Form PCT/IPEA/416	
International application No. PCT/JP2003/005410	International filing date (da 25 April 2003 (25.		Priority date (day/month/year) 02 August 2002 (02.08.2002)	
International Patent Classification (IPC) on B66C 1/36	r national classification and IPC			
Applicant	KABUSHIKI KAISI	HA NIICHI		
amended and are the basis 70.16 and Section 607 of	and the second to the	ts of the descrip ntaining rectific under the PCT)	tion, claims and/or drawings which have be cations made before this Authority (see Ro	
 This report contains indications Basis of the report 				
II Priority				
	nent of opinion with regard to no	velty, inventive	step and industrial applicability	
IV Lack of unity of	f invention			
Descend states	ment under Article 35(2) with re planations supporting such state	gard to novelty, ement	, inventive step or industrial applicability;	
VI Certain docume	ents cited			
VII Certain defects	Certain defects in the international application			
VIII Certain observe	ations on the international applic	ation		
Date of submission of the demand			on of this report	
25 April 2003 (25	.04.2003)	2	7 January 2004 (27.01.2004)	
Name and mailing address of the IPEA	A/JP A	Authorized offic	er	
		Celephone No.		
Facsimile No.	1	•		

Form PCT/IPEA/409 (cover sheet) (July 1998)

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

Internationa	ication No.	
•		

PCT/JP2003/005410

		of the rep		
۱. ٔ	With	regard to	to the elements of the international application:*	1
ĺ	\boxtimes	the inter	ernational application as originally filed	
		the desc	scription: , as originally fil	ed
		pages	, as originally in , filed with the dema	
		pages		
		pages	, filed with the letter of	-
		the clai	aims: , as originally file.	led
		pages	, as originally in	19
		pages	filed with the dema	and
		pages	filed with the letter of	\
		pages	, mod with the second	
		the dra	awings:	iled
		pages	filed with the dem	
		pages	filed with the letter of	
		pages		
		the seque	uence listing part of the description:	filed
		pages	filed with the dem	and
		pages		
		pages	d to the language, all the elements marked above were available or furnished to this Authority in the language in v	
2				
l	The	ese eleme	nents were available or furnished to this Authority in the following language	
1	<u> </u>	the la	language of a translation furnished for the purposes of international search (under Rule 23.1(b)).	1
	F	the la	language of publication of the international application (under Rule 48.3(b)). language of the translation furnished for the purposes of international preliminary examination (under Rule 55.2)	and/
	L	the la or 55		
١.	. 337	!4b ======	and to any pucleatide and/or amino acid sequence disclosed in the international application, the internat	ional
	o. w pre	eliminary	y examination was carried out on the basis of the sequence listing:	
			tained in the international application in written form.	
١			d together with the international application in computer readable form.	
Ì	<u>_</u>		nished subsequently to this Authority in written form.	
Ì	Ļ	_ furni	nished subsequently to this Authority in computer readable form.	n the
l	L	inter	e statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the control of the subsequently furnished.	
			e statement that the information recorded in computer readable form is identical to the written sequence listing furnished.	g nas
l	4.	The	e amendments have resulted in the cancellation of:	
1			the description, pages	
١			the claims, Nos.	
Į			the drawings, sheets/fig	
	5. [This beyo	is report has been established as if (some of) the amendments had not been made, since they have been considered yond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**	to go
	in	ı this rep	nent sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are refer eport as "originally filed" and are not annexed to this report since they do not contain amendments (Rule	red to 70.16
		mA 701 [7]	7). acement sheet containing such amendments must be referred to under item 1 and annexed to this report.	



International application No.

PCT/JP03/05410

Statement					
Novelty (N)	Claims	1-13	YES		
	Claims		NO		
Inventive step (IS)	Claims	4, 9	YES		
	Claims	1-3, 5-8, 10-13	NO		
Industrial applicability (IA)	Claims	1-13	YES		
	Claims		NO		

2. Citations and explanations

Claims 1-3, 5-8, 10-13

Document 1: Microfilm of the specification and drawings annexed to the written application of Japanese Utility Model Application No. 46454/1986 (Laid-open No. 173382/1987) (TAKAYOSHI NAKAJIMA, SHIN KISHITA), 04 November 1987 (04.11.87), full text, Figs. 1-8 (Family: none)

Document 2: JP, 3-416, Y1 (NGK INSULATORS, LTD.), 26 January 1928 (26.01.28), full text, Figs. 1-2 (Family: none)

Document 1 describes "a rope hanger comprising a main body having a hanging part that is essentially hook shaped for hanging rope, etc.; a slip-off preventive lever whose turning pivot part is turnably supported at a position outside the tip of the hanging part on the aforesaid main body and whose turning end part moves between a locked position that is closed between a position where it contacts the inside of the tip of the aforesaid hanging part and the tip of the hanging part and an open position where the turning end part is distanced from the hanging part's tip; and a spring for energizing and applying rotation force to the slip-off preventive lever to the locked position side."

Document 2 describes the point about "providing a spring that holds the slip-off preventive lever at a position in a state in which it can move laterally within a fixed range in the direction orthogonal to its turning direction and energizing the slip-off preventive lever toward the lock position that is at one end of this range, and providing a stopper means that prevents the slip-off preventive lever from turning to the open position side only when the slip-off preventive lever is at the lock position."

Employing the slip-off preventive lever's action mechanism of document 2 in the action mechanism of the slip-off preventive lever of the rope hanger of document 1 would be easy for a person skilled in the art.

The subject matter of claims 4 and 9 is not described in any of the documents cited in the ISR and appears to be non-obvious to a person skilled in the art.